

CORRECTION

Open Access



# Correction to: Depressive symptoms in individuals with family members requiring ADL assistance

Junhyun Kwon<sup>1,2</sup>, Eun-Cheol Park<sup>2,3</sup>, Woorim Kim<sup>1,2,4</sup>, Dong-Woo Choi<sup>1,2</sup> and Sung-In Jang<sup>2,3\*</sup>

**Correction to: *Environ Health Prev Med* (2019) 24:49**  
<https://doi.org/10.1186/s12199-019-0804-x>

Following publication of the original article [1], the authors reported an error in Table 2 in their paper. The table entry “Men’s P value” was mistakenly included under the table heading “Women”. The original article [1] has been updated.

The correct Table 2 is shown below.

#### Author details

<sup>1</sup>Department of Public Health, Graduate School, Yonsei University, Seoul, Republic of Korea. <sup>2</sup>Institute of Health Services Research, Yonsei University, Seoul, Republic of Korea. <sup>3</sup>Department of Preventive Medicine, Yonsei University College of Medicine, 50 Yonsei-ro, Seodaemun-gu, Seoul 120-752, Republic of Korea. <sup>4</sup>Department of Preventive Medicine, College of Medicine, Korea University, Seoul, Republic of Korea.

Published online: 28 August 2019

#### Reference

1. Kwon, et al. Depressive symptoms in individuals with family members requiring ADL assistance. *Environ Health Prev Med*. 2019;24:49. <https://doi.org/10.1186/s12199-019-0804-x>.

\* Correspondence: [jangsi@yuhs.ac](mailto:jangsi@yuhs.ac)

<sup>2</sup>Institute of Health Services Research, Yonsei University, Seoul, Republic of Korea

<sup>3</sup>Department of Preventive Medicine, Yonsei University College of Medicine, 50 Yonsei-ro, Seodaemun-gu, Seoul 120-752, Republic of Korea

Full list of author information is available at the end of the article



**Table 2** Results of analysis of factors associated with CES-D 10 scores

Variables	Men			Women		
	$\beta$	S.E	P-value	$\beta$	S.E	P-value
Caregiving Status of family members requiring ADL assistance						
Yes, by others <sup>a</sup>	0.035	0.089	0.6947	0.210	0.084	0.0123
Yes, by myself	0.407	0.145	0.0051	0.506	0.125	<.0001
No family members requiring ADL assistance	Ref.			Ref.		
Age						
45–54	Ref.			Ref.		
55–64	–0.003	0.053	0.9488	0.089	0.052	0.0836
65–74	0.051	0.071	0.4769	0.226	0.069	0.0010
≥ 75	0.122	0.090	0.1742	0.326	0.082	<.0001
Education level						
Elementary school or less	0.460	0.086	<.0001	0.364	0.114	0.0014
Middle school	0.272	0.090	0.0025	0.149	0.117	0.2032
High school	0.164	0.070	0.0194	–0.041	0.106	0.7000
University or beyond	Ref.			Ref.		
Region						
Metropolitan	Ref.			Ref.		
Rural	0.168	0.053	0.0017	0.170	0.050	0.0007
Working Status						
Working	Ref.			Ref.		
Non-working	0.469	0.054	<.0001	0.255	0.047	<.0001
Equalized household income						
Low	Ref.			Ref.		
Mid-low	–0.139	0.061	0.0213	–0.321	0.054	<.0001
Mid-high	–0.164	0.066	0.0134	–0.467	0.058	<.0001
High	–0.175	0.075	0.0194	–0.411	0.066	<.0001
Perceive health status						
Healthy	–1.540	0.069	<.0001	–1.486	0.058	<.0001
Average	–1.247	0.066	<.0001	–1.158	0.053	<.0001
Unhealthy	Ref.			Ref.		
Regular physical activities						
Yes	–0.282	0.041	<.0001	–0.260	0.039	<.0001
No	Ref.			Ref.		
Participation in social activities						
Yes	–0.407	0.056	<.0001	–0.155	0.046	0.0008
No	Ref.			Ref.		
Smoking						
Ever	0.021	0.056	0.7097	0.663	0.142	<.0001
Never	Ref.			Ref.		
Alcohol intake						
Yes	–0.222	0.051	<.0001	–0.118	0.059	0.0454
No	Ref.			Ref.		
Number of chronic diseases						
None	Ref.			Ref.		

**Table 2** Results of analysis of factors associated with CES-D 10 scores (*Continued*)

Variables	Men			Women		
	$\beta$	S.E	P-value	$\beta$	S.E	P-value
1	0.007	0.055	0.8963	0.188	0.055	0.0006
$\geq 2$	0.176	0.072	0.0146	0.430	0.066	<.0001
Number of cohabiting generations						
Couple	-0.009	0.082	0.9101	-0.179	0.074	0.0154
Two generations	0.057	0.080	0.4767	-0.018	0.073	0.8022
Over two generations	Ref.			Ref.		

<sup>a</sup>Other caregivers include other family members acting as informal caregivers as well as formal/professional individuals